




2 3

Steel Flat Head Partial Hexagonal Shank -open- HEXATOP FK



M	$\frac{\downarrow}{\uparrow}$	SW	d _k	l	k	l ₁ max.	No.	
M4	0,5 – 2,0	6,3	8,0	10,0	0,6	7,5	10.867.400.000	500

QSt 32-3 [1.0303] 4 Nm 3800 N

M5	0,5 – 3,0	7,2	9,0	12,5	0,7	9,0	10.867.500.000	500
-----------	-----------	-----	-----	------	-----	-----	----------------	-----

QSt 32-3 [1.0303] 6 Nm 6000 N


M	$\frac{\downarrow}{\uparrow}$	SW	d _k	l	k	l ₁ max.	No.	
M6	0,5 – 3,0	9,6	12,0	14,5	0,8	11,5	10.867.600.000	500

QSt 32-3 [1.0303] 11 Nm 9500 N

M8	0,5 – 3,0	10,6	13,0	17,5	0,8	14,0	10.867.800.000	250
-----------	-----------	------	------	------	-----	------	----------------	-----

QSt 32-3 [1.0303] 24 Nm 12500 N

Steel Small Countersunk Head Partial Hexagonal Shank -open- HEXATOP KLSK



M	$\frac{\downarrow}{\uparrow}$	SW	SW ²	l	k	l ₁ max.	No.	
M4	0,4 – 2,0	6,3	7,0	10,0	0,4	7,5	10.893.040.200	500

QSt 32-3 [1.0303] 4 Nm 3800 N

M5	0,6 – 3,0	7,2	8,0	12,5	0,5	9,0	10.893.050.300	500
-----------	-----------	-----	-----	------	-----	-----	----------------	-----

QSt 32-3 [1.0303] 6 Nm 6000 N

M	$\frac{\downarrow}{\uparrow}$	SW	SW ²	l	k	l ₁ max.	No.	
M6	0,6 – 3,0	9,6	10,5	15,5	0,5	11,5	10.893.060.300	500

QSt 32-3 [1.0303] 11 Nm 9500 N

M8	0,6 – 3,0	10,6	11,5	18,0	0,6	14,0	10.893.080.300	250
-----------	-----------	------	------	------	-----	------	----------------	-----

QSt 32-3 [1.0303] 24 Nm 12500 N

M10	1,0 – 4,0	12,6	14,4	22,5	0,8	14,0	10.893.100.400	250
------------	-----------	------	------	------	-----	------	----------------	-----

QSt 32-3 [1.0303] 50 Nm 37000 N



! Blind rivet nuts with larger grip ranges, closed shaft or inch measured threads possible on request.



► For the perfect tool take a look into chapters 8 and 9 on pages 117 and 125!